

## THOR TARP Shade Fabrics

<u>Product</u>	<u>Shade %</u>	<u>Weave Count PSI</u>	<u>Weight oz/sy</u>	<u>Tensile Warp #</u>	<u>Tensile Fill #</u>
ThoroWeave 300	30	13.0 x 10.0	2.2	40	35
ThoroWeave 510	51	12.67 x 7.8	2.5	90	65
ThoroWeave 630	63	17.0 x 9.0	3.2	150	55
ThoroWeave 730	73	19.53 x 9.5	4.3	145	100
ThoroWeave 800	80	21.0 x 11.6	4.7	190	110
ThoroWeave 920	92	34.0 x 15.0	5.7	230	95
ThoroWeave 950	95	29.83 x 20.0	6.5	415	280
ThoroWeave 990*	99	24.0 x 12.0	3.2	160	110

\*intended for ground cover

All of these materials are constructed of black 100% polypropylene and have an operating temperature range of -40 to 375 degrees Fahrenheit. The physical data provided herein is only for information purposes and is achieved from tests which we believe to be reliable. THOR hereby makes no warranty of any kind in regard to the foregoing physical data. Final determination of the suitability of any information or material for the use contemplated, of its manner of use, is the sole responsibility of the user.

ThoroWeave™ is a registered trademark of  
 THOR TARP Division of  
 ODIN International, Inc.  
 4408 Deer Park Road  
 P. O. Box 811  
 Oconomowoc, WI 53066-0811  
 1-888-ODIN-INC